EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1434	(implant$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND ((tube OR cylindr$5 OR cylinder OR catheter OR guidewire OR (elongate ADJ2 member)) SAME (solder$3)) AND wire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:23
L2	809	(implant$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND ((tube OR cylindr$5 OR cylinder OR catheter OR guidewire OR (elongate ADJ2 member)) WITH (solder$3)) AND wire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:23
L3	608	(implant$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND ((tube OR catheter OR guidewire) WITH (solder$3)) AND wire	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:24
L4	351	(implant$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND ((tube OR catheter OR guidewire) WITH (solder$3)) AND wire AND ("600"/$ OR "604"/$ OR "607"/$ OR "606"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:31
L5	184	(implant$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND (((tube OR catheter OR guidewire OR cylinder OR cylindrical) WITH solder$3) SAME wire) AND ("600"/$ OR "604"/$ OR "607"/$ OR "606"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:44
L6	184	(((tube OR catheter OR guidewire OR cylinder OR cylindrical) WITH solder$3) SAME wire) AND 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:44
L9	3	("6712772").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	OFF	2007/04/18 11:39
L10	99	(implant$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND (((tube OR catheter OR guidewire OR cylinder OR cylindrical) NEAR5 solder$3) SAME wire) AND ("600"/$ OR "604"/$ OR "607"/$ OR "606"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:44

L11	99	(((tube OR catheter OR guidewire OR cylinder OR cylindrical) NEAR5 solder$3) SAME wire) AND 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:49
L12	10	((((tube OR catheter OR guidewire OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR resistor OR capacit$5 OR microprocess$5 OR processor OR electrical OR electronic)) SAME wire) AND (implant$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND ("600"/$ OR "604"/$ OR "607"/$ OR "606"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:54
L13	10	((((tube OR catheter OR guidewire OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR resistor OR capacit$5 OR microprocess$5 OR processor OR electrical OR electronic)) SAME wire) AND 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:52
L14	15	(((tube OR catheter OR guidewire OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR resistor OR capacit$5 OR microprocess$5 OR processor OR electrical OR electronic)) AND ((tube OR catheter OR guidewire OR cylinder OR cylindrical) WITH wire) AND (implant$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 13:54
L15	15	(((tube OR catheter OR guidewire OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR resistor OR capacit$5 OR microprocess$5 OR processor OR electrical OR electronic)) AND ((tube OR catheter OR guidewire OR cylinder OR cylindrical) WITH wire) AND 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 11:59
L16	3	(((tube OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR electronic OR chip OR board)) AND wire AND (implant$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo") AND ("600"/$ OR "604"/$ OR "607"/$ OR "606"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 12:01
L17	9	(((tube OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR electronic OR chip OR board)) AND ("600"/$ OR "604"/$ OR "607"/$ OR "606"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 13:49

L18	9	(((tube OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR electronic OR chip OR board)) AND ("600"/$ OR "604"/$ OR "607"/$ OR "606"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 12:02
L19	5	(US-20030100839-$ or US-20040152999-$).did. or (US-6712772-$ or US-6862480-$).did. or (US-20030100839-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/04/18 13:52
L20	3	(hollow) AND 19	US-PGPUB; USPAT; DERWENT	OR	ON	2007/04/18 13:52
L21	7	(((tube OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR resistor OR capacit$5 OR chip OR substrate OR wafer OR electronic)) AND ((tube OR cylinder OR cylindrical) WITH wire) AND (implant$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo" OR catheter OR guidewire OR (guide ADJ wire))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:04
L22	7	solder$3 AND 21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:35
L23	12	((((tube OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR resistor OR capacit$5 OR chip OR substrate OR wafer OR electronic)) SAME wire) AND (implant$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo" OR catheter OR guidewire OR (guide ADJ wire) OR (pressure NEAR3 (sensor$3 OR transducer OR monitor$3 OR sensing OR detect$5)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:13
L24	12	((((tube OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR resistor OR capacit$5 OR chip OR substrate OR wafer OR electronic)) SAME wire) AND 23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:10
L25	306	((((tube OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR resistor OR capacit$5 OR chip OR substrate OR wafer OR electronic)) SAME wire)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:14

EAST Search History

L26	201	((((tube OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR chip OR substrate OR wafer OR electronic)) WITH (wire OR conductor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:15
L27	3	((((tube OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR chip OR substrate OR wafer OR electronic)) WITH (wire OR conductor)) AND ("600"/$ OR "604"/$ OR "606"/$ OR "607"/$ OR "623"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:24
L28	7	(((tube OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR chip OR substrate OR wafer OR electronic)) AND ((tube OR cylinder OR cylindrical) NEAR5 (wire OR conductor)) AND ("600"/$ OR "604"/$ OR "606"/$ OR "607"/$ OR "623"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 15:58
L29	7	(((tube OR cylinder OR cylindrical) NEAR5 solder$3) WITH (circuit$5 OR chip OR substrate OR wafer OR electronic)) AND 28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:25
L34	33	(US-20030100839-$ or US-20040152999-$ or US-20010009986-$ or US-20020055764-$ or US-20060052850-$).did. or (US-6297723-$ or US-5037488-$ or US-5726624-$ or US-4813421-$ or US-4807629-$ or US-4791935-$ or US-6712772-$ or US-6862480-$ or US-4730389-$ or US-6671554-$ or US-6463335-$ or US-6358281-$ or US-6253111-$ or US-5851226-$ or US-5411545-$ or US-5005587-$ or US-4502492-$ or US-6129658-$ or US-6585660-$ or US-6572543-$ or US-5113868-$ or US-5207103-$ or US-6974416-$ or US-6106486-$ or US-5133714-$).did. or (US-2816997-$ or US-3367339-$).did. or (US-20030100839-$).did.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2007/04/18 14:35

EAST Search History

L35	20	solder$3 AND 34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:46
L36	2	(US-5037488-$).did. or (US-2816997-$).did.	USPAT; USOCR	OR	ON	2007/04/18 14:46
L37	2	solder$3 AND 36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:49
L38	6	(US-5037488-$ or US-4813421-$ or US-4807629-$ or US-4791935-$ or US-4730389-$).did. or (US-2816997-$).did.	USPAT; USOCR	OR	ON	2007/04/18 14:47
L39	134	("2886475" | "2916537" | "3057356" | "3226610" | "3349762" | "3358690" | "3478746" | "3593718" | "3758346" | "3799672" | "3902501" | "3979226" | "4009721" | "4036665" | "4140132" | "4191193" | "4201219" | "4202339" | "4252124" | "4269198" | "4376927" | "4379462" | "4399820" | "4407296" | "4413636" | "4432372" | "4437475" | "4444498" | "4467807" | "4481953" | "4485813" | "4487206" | "4516106" | "4523279" | "4554927" | "4600017" | "4603700").PN. OR ("2816997" | "4730389" | "4791935" | "4807629" | "4813421" | "5037488").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/18 14:48
L40	2	((tube OR cylinder OR cylindrical) NEAR5 solder$3) AND 39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:48
L41	22	solder$3 AND 39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 14:49
L42	23	(((tube OR cylinder OR cylindrical) WITH solder$3) WITH (circuit$5 OR chip OR substrate OR wafer OR electronic)) AND (wire OR conductor) AND ("600"/$ OR "604"/$ OR "606"/$ OR "607"/$ OR "623"/$).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 16:00

EAST Search History

L43	23	(((tube OR cylinder OR cylindrical) WITH solder$3) WITH (circuit$5 OR chip OR substrate OR wafer OR electronic)) AND 42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 16:05
L44	36	(((tube OR cylinder OR cylindrical) NEAR5 solder$3) NEAR5 (circuit$5 OR chip OR substrate OR board OR "IC" OR electrical OR wafer OR electronic)) AND (implant$3 OR (in ADJ vivo) OR "in-vivo" OR "in vivo" OR catheter OR guidewire OR (guide ADJ wire))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 16:07
L45	36	(((tube OR cylinder OR cylindrical) NEAR5 solder$3) NEAR5 (circuit$5 OR chip OR substrate OR board OR "IC" OR electrical OR wafer OR electronic)) AND 44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2007/04/18 16:07